



CROSSPLY RACING TYRES

SIZE

8.5/16.0-10

6.0/19.5-13

6.5/19.5-13

7.0/19.5-13

7.5/19.5-13

8.0/19.5-13

8.5/19.5-13

9.0/19.5-13

6.2/20.0-13

6.5/20.0-13

7.0/20.0-13

7.2/20.0-13

7.5/20.0-13

8.2/20.0-13

9.0/20.0-13

10.0/20.0-13

6.0/21.0-13M

6.0/21.0-13

6.5/21.0-13

7.0/21.0-13M

7.0/21.0-13

7.5/21.0-13

8.0/21.0-13

8.5/21.0-13

9.0/21.0-13

5.0/22.0-13M

6.5/22.0-13

7.0/22.0-13M

7.0/22.0-13

7.6/22.0-13

8.0/22.0-13

8.0/22.0-13M

8.2/22.0-13

8.6/22.0-13

9.2/22.0-13

10.0/22.0-13

7.6/22.5C13

6.5/23.0-13M

10.5/23.0-13

12.0/23.0-13

13.0/23.0-13

14.0/23.0-13

SIZE

13.0/24.5-13

15.0/26.0-13

16.2/26.0-13

6.6/19.5-14

6.5/21.0-14

7.0/21.0-14

10.0/21.0-14

7.0/21.5-14

7.0/21.5-15

7.5/21.5-15

8.0/21.5-15

8.7/21.5-15

9.5/21.5-15

10.0/21.5-15

10.7/21.5-15

7.0/22.0-15M

8.0/22.0-15M

7.5/22.5-15

8.0/22.5-15

6.5/23.0-15

7.0/23.0-15

7.5/23.0-15

8.0/23.0-15

10.5/23.0-15

8.5/23.5-15

9.0/23.5-15

9.1/23.5-15

11.0/23.5-15

12.5/23.5-15

9.5/25.0-15

11.0/25.0-15

13.0/25.0-15

15.0/26.0-15

16.2/26.0-15

12.5/27.0-15

14.0/27.0-15

16.0/27.0-15

SIZE

9.5/21.5-16

10.0/21.5-16

10.7/21.5-16

7.5/22.5-16

8.0/22.5-16

7.0/23.0-16

7.5/23.0-16

8.5/23.3-16

9.0/23.3-16

8.0/23.5-16

8.5/23.5-16

9.0/23.5-16

9.5/23.5-16

10.0/23.5-16

10.5/23.5-16

11.0/23.5-16

11.7/23.5-16

12.5/23.5-16

11.0/25.0-16

12.5/25.0-16

13.5/25.0-16

14.0/27.0-16

8.5/23.3-17

9.0/23.3-17

7.0/24.0-17

7.5/24.0-17

8.0/24.0-17

8.0/25.0-17

9.0/25.0-17

M - All weather moulded patterned tyres only.

Avon Tyres Racing and Vereeken BVBA reserve the right to change or amend specifications without prior notice.

Autobanden Vereeken BVBA

Steenweg op Vilvoorde 267 , 1745 Opwijk - Belgium

T: +32 52.35.71.18 F: +32 52.35.86.12 Mob.: +32 475 39.27.72

info@vereeken-motorsport.be

avonracing.belgium@pi.be

www.vereeken-motorsport.be





RADIAL RACING TYRES

SIZE

160/530 R13M
160/530 R13
175/530 R13
200/530 R13
240/530 R13

180/550 R13M
180/550 R13
210/550 R13
230/550 R13

180/565 R13M

230/570 R13M
250/570 R13M
250/570 R13

225/600 R13
240/600 R13
300/600 R13

330/620 R13

245/635 R13

270/660 R13
315/660 R13
350/660 R13
370/660 R13

170/550 R14

170/550 R15M
170/550 R15
185/550 R15M
185/550 R15
210/550 R15
230/550 R15

SIZE

170/570 R15
190/570 R15
250/570 R15

205/580 R15
225/580 R15

225/600 R15
240/600 R15

330/620 R15

255/635 R15

290/700 R15

290/710 R15

350/720 R15

205/580 R16
225/580 R16

195/600 R16
210/600 R16
230/600 R16
240/600 R16

250/610 R16

285/650 R16

210/620 R17
220/620 R17
230/620 R17
240/620 R17
250/620 R17

SIZE

210/635 R17
225/635 R17
240/635 R17
255/635 R17
275/635 R17

210/635 R18
225/635 R18
240/635 R18
255/635 R18
275/635 R18

240/640 R18

260/645 R18
280/645 R18
300/645 R18
320/645 R18
335/645 R18

270/680 R18

270/690 R18
320/690 R18
350/690 R18

350/720 R18
365/720 R18

Avon Tyres Racing and Vereeken BVBA reserve the right to change or ammend specifications without prior notice.

Autobanden Vereeken BVBA

Steenweg op Vilvoorde 267 , 1745 Opwijk - Belgium

T: +32 52.35.71.18 F: +32 52.35.86.12 Mob.: +32 475 39.27.72

info@vereecken-motorsport.be

avonracing.belgium@pi.be



www.vereecken-motorsport.be



ROAD LEGAL COMPETITION TYRES

SIZE	SERVICE INDEX	SIZE	SERVICE INDEX
ZZR		CR500	
195/50R15	82W	175/55R13	75V
205/50R15	86W	205/55R13	85V
205/50R16*	87W	245/50R13	85V
225/45R16	89W	245/40R15	85V
225/45R17	90W	195/45R15	75V
235/45R17*	93W		
215/40R17	83W	ACB10 - Sport	
235/40R17*	90W	6.0/21.0-13	76V
255/40R17	94W	(185/50-13)	
225/40R18	88W	7.0/21.0-13	78V
		(195/50-13)	
265/35R18	93W	7.0/22.0-13	85V
		(215/50-13)	
CR6ZZ - Historic Rally		8.0/22.0-13	89V
165/70R10	72H	(245/45-13)	
175/70R13	82H	7.0/22.0-15	78V
185/70R13	86H	(195/45-15)	
185/70R14	88H	8.0/22.0-15	80V
		(215/40-15)	
155R15	82H	CR28 SPORT - Tarmac Rally	
175/70R15	86H	185/70R13	86H
185/70R15	89H	185/60R13	80H
205/70R15	96V	205/60R13	86H
215/70R15	98V	185/60R14	82H
225/65R15	99V	185/65R15	88H
215/60R15	99V	195/50R15	82H
245/60R15	99V	205/50R15	86V

ZZR sizes marked * are in preparation

Avon Tyres Racing and Vereeken BVBA reserve the right to change or ammend specifications without prior notice.
Road legal 'E' marked, moulded competition tyres.

Autobanden Vereeken BVBA

Steenweg op Vilvoorde 267 , 1745 Opwijk - Belgium

T: +32 52.35.71.18 F: +32 52.35.86.12 Mob.: +32 475 39.27.72

info@vereecken-motorsport.be

avonracing.belgium@pi.be



www.vereecken-motorsport.be



MOTORCYCLE RACING TYRES

CLUB RACING MOULDED INTERMEDIATES

<i>AM22</i>	<i>Spec.</i>
120/70VB16	4001C
120/70VB17	3997C
110/80VB18 F	11382C
110/80VB18 R	12071C

AM23

140/80VB16	4002C
130/80VB17	3985C
130/70VB18	11831C
130/650VB18 (CANTILEVER)	5288C
150/70VB18	4009C
170/60VB18	3643C
180/55VB18	3977C

CLASSIC AND VINTAGE

<i>Roadrunner</i>	<i>Spec.</i>
90/90 H18 AM20 CR	11376M
120/80 V18 AM18 CR	4558M
90/90 H19 AM20 CR	11829M
100/90 V19 AM18 CR F	6315C
100/90 V19 AM18 CR R	4557M

Speedmaster MkII

2.75/3.00 H19	3027M
3.25 H19	2971M
3.00 H20	3021M
3.00 H21	3026M

SUPAMOTO SLICK AND WET RACING TYRES

<i>Slick</i>
120/70R17
165/60R17
170/55R17

Wet

120/70R17
160/60R17

For Supamoto Slick tyres a range of compounds and constructions are available. Please call for further information.

<i>Roadrunner</i>	<i>Spec.</i>
80/90 H18 Universal F	1973M
80/90 H18 Universal R	1864M
90/90 H18 F2	2408M
90/90 H18 R2	2181M
100/90 H18 R2	2128M
110/90 H18 R2	2972M
90/90 H19 F2	2881M
100/90 H19 Universal	2409M

G. P.

3.50 H19	2833M
----------	-------

Avon Tyres Racing and Vereeken BVBA reserve the right to change or amend specifications without prior notice.

Autobanden Vereeken BVBA

Steenweg op Vilvoorde 267 , 1745 Opwijk - Belgium

T: +32 52.35.71.18 F: +32 52.35.86.12 Mob.: +32 475 39.27.72

info@vereeken-motorsport.be

avonracing.belgium@pi.be



www.vereeken-motorsport.be